

## 2016年度 日帰りドック結果集計表 (2016年4月～2017年3月)

			年 齢				—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—	
男・女	計	%	男	%	女	%	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
計	3,359	100	1,764	100	1,595	100	100	85	173	116	131	106	166	117	185	183	201	241	322	301	206	176	161	147	119	123
組 合 員	2,550	75.9	1,237	70.1	1,313	82.3	33	35	43	45	50	46	70	76	104	148	148	223	307	295	203	175	161	147	118	123
非 組 合 員	809	24.1	527	29.9	282	17.7	67	50	130	71	81	60	96	41	81	35	53	18	15	6	3	1	0	0	1	0
判 定																										
A + B	26	0.8	12	0.7	14	0.9	6	2	6	3	0	2	0	6	0	1	0	0	0	0	0	0	0	0	0	0
C	683	20.3	335	19.0	348	21.8	41	40	65	48	50	40	42	29	32	49	29	52	44	46	18	26	9	13	5	5
D	987	29.4	516	29.3	471	29.5	44	35	78	52	57	48	62	54	58	59	61	67	79	83	32	30	34	22	11	21
E	19	0.6	15	0.9	4	0.3	1	0	3	0	0	2	2	0	2	1	1	0	2	0	2	1	2	0	0	0
F	1,644	48.9	886	50.2	758	47.5	8	8	21	13	24	14	60	28	93	73	110	122	197	172	154	119	116	112	103	97
要 指 導																										
肥 満	1,011	30.1	535	30.3	476	29.8	31	27	55	36	47	35	58	27	61	56	61	75	90	90	61	42	46	47	25	41
高 血 圧	257	7.7	167	9.5	90	5.6	6	1	12	3	15	3	13	8	18	10	27	13	33	27	21	9	15	7	7	9
心 障 害	888	26.4	490	27.8	398	25.0	21	14	41	27	20	17	31	26	42	46	51	52	94	76	94	54	48	35	48	51
高 脂 血 症	980	29.2	531	30.1	449	28.2	33	18	58	19	59	28	59	39	56	65	56	83	88	84	62	57	40	32	20	24
肝 障 害	909	27.1	495	28.1	414	26.0	14	6	44	19	35	18	44	17	40	38	62	50	86	81	61	58	57	60	52	67
貧 血 症	281	8.4	102	5.8	179	11.2	0	14	4	16	2	20	5	10	3	10	10	21	15	20	17	18	21	22	25	28
白 血 球 異 常	66	2.0	15	0.9	51	3.2	1	0	0	3	3	2	2	5	1	9	2	11	2	7	2	5	2	3	0	6
腎 障 害	517	15.4	293	16.6	224	14.0	16	3	17	7	18	12	20	7	30	17	33	28	58	50	48	34	33	42	20	24
呼吸機能障害	293	8.7	174	9.9	119	7.5	6	7	11	4	10	3	5	5	13	8	20	16	31	25	28	11	28	21	22	19
要精密検査																										
高 血 圧 症	67	2.0	42	2.4	25	1.6	3	0	4	1	4	0	7	4	5	2	4	5	7	4	5	3	1	4	2	2
高 脂 血 症	214	6.4	93	5.3	121	7.6	1	4	18	4	15	7	12	10	13	14	13	24	6	27	6	17	3	11	6	3
心 障 害	212	6.3	124	7.0	88	5.5	8	3	8	3	5	3	6	4	8	13	11	16	27	11	21	8	13	12	17	15
肝 障 害	293	8.7	239	13.5	54	3.4	13	1	31	2	24	3	28	7	37	8	28	12	33	13	20	3	15	3	10	2
貧 血 症	105	3.1	39	2.2	66	4.1	1	3	3	14	0	11	1	8	1	5	2	1	7	4	2	6	10	5	12	9
白 血 球 異 常	94	2.8	65	3.7	29	1.8	3	0	8	4	6	2	10	2	7	5	9	4	5	5	8	3	4	4	5	0
糖 代 謝 異 常	338	10.1	231	13.1	107	6.7	2	0	11	0	5	1	18	3	26	10	21	22	50	25	36	16	35	14	27	16
尿 糖 ( + )	7	0.2	6	0.3	1	0.1	0	0	0	0	0	0	1	0	0	0	0	0	2	1	0	0	3	0	0	0
便 潜 血 ( + )	208	6.4	113	6.6	95	6.2	3	6	5	7	6	5	8	10	8	8	8	14	25	11	17	12	16	7	17	15
胃部カメラ異常	129	9.6	83	11.5	46	7.4	0	0	5	0	3	5	4	1	7	1	15	6	23	16	14	7	6	5	6	5
胃部X-P異常	77	5.6	50	6.5	27	4.3	1	0	2	0	3	2	7	2	4	3	4	4	11	4	7	6	3	3	8	3
胸部X-P異常	69	2.1	39	2.2	30	1.9	1	0	0	2	2	2	4	1	2	2	3	4	8	5	7	4	7	5	5	5
呼吸機能異常	126	3.8	95	5.4	31	1.9	1	1	2	2	1	0	0	3	7	0	11	0	29	5	13	5	16	5	15	10
尿 蛋 白 ( + )	152	4.5	113	6.4	39	2.4	5	3	10	3	8	2	10	2	12	7	13	6	18	6	16	3	13	2	8	5
尿 潜 血 ( + )	264	7.9	73	4.1	191	12.0	1	7	4	15	4	10	4	12	9	17	7	31	23	50	5	23	8	14	8	12
腎 障 害	106	3.2	52	2.9	54	3.4	3	0	4	0	4	1	2	2	2	4	3	3	9	6	7	6	5	10	13	22

A:異常なし  
 B:軽度の異常が見られるが日常生活に差し支えなし  
 C:経過観察を要する

D:要精密検査  
 E:要治療  
 F:治療中

## 日帰りドック精密検査結果集計表（1月～12月）

	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
胃X-P																							
受診者数	1,368	744	624	60	51	117	70	73	56	89	56	77	81	76	96	106	91	68	50	44	43	34	30
要精検者数	74	47	27	1	1	2	1	3	3	6	0	4	2	4	1	13	5	5	7	3	3	6	4
要精検率 %	5.4	6.3	4.3	1.7	2.0	1.7	1.4	4.1	5.4	6.7	0.0	5.2	2.5	5.3	1.0	12.3	5.5	7.4	14.0	6.8	7.0	17.6	13.3
精検受診者数	48	28	20	0	1	1	1	1	3	5	0	1	1	3	0	9	3	4	6	1	2	3	3
精検受診率%	64.9	59.6	74.1	0.0	100.0	50.0	100.0	33.3	100.0	83.3	0.0	25.0	50.0	75.0	0.0	69.2	60.0	80.0	85.7	33.3	66.7	50.0	75.0
結 果																							
異常なし	8	4	4	0	0	0	0	0	2	1	0	0	1	2	0	1	0	0	1	0	0	0	0
進行胃がん	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
早期胃がん	3	2	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1
深達度不明胃がん	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
粘膜内がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃ポリープ	6	1	5	0	0	0	1	0	0	1	0	0	0	0	0	0	2	0	0	0	1	0	1
胃潰瘍	3	2	1	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0
十二指腸潰瘍	3	3	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0	1	0	0	0
共存潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
腺腫	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
胃粘膜下腫瘍	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
十二指腸ポリープ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
食道がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん以外の悪性腫瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
不 明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	30	17	13	0	1	1	1	1	0	3	0	1	0	0	0	6	2	2	5	1	2	2	2
胃内視鏡検査																							
受診者数	1,431	756	675	38	29	57	37	51	43	69	37	98	66	96	106	164	156	91	88	53	68	39	45
要精検者数	141	94	47	1	0	6	1	2	4	4	2	14	2	14	7	27	12	13	8	6	5	7	6
要精検率 %	9.9	12.4	7.0	2.6	0.0	10.5	2.7	3.9	9.3	5.8	5.4	14.3	3.0	14.6	6.6	16.5	7.7	14.3	9.1	11.3	7.4	17.9	13.3
精検実施者数	140	94	46	1	0	6	1	2	4	4	2	14	2	14	7	27	12	13	7	6	5	7	6
精検実施率 %	99.3	100.0	97.9	100.0	0.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	87.5	100.0	100.0	100.0	100.0
結 果																							
異常なし	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
進行胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
早期胃がん	6	6	0	0	0	0	0	0	0	0	0	1	0	2	0	2	0	0	0	0	0	1	0
深達度不明胃がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
粘膜内がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
胃ポリープ	12	5	7	0	0	0	0	0	1	0	1	1	1	3	1	0	1	1	1	0	1	0	0
胃潰瘍	8	6	2	0	0	0	0	0	0	1	0	2	0	0	0	2	1	0	0	1	0	0	1
十二指腸潰瘍	10	6	4	1	0	1	1	0	1	0	0	1	0	0	0	1	0	1	1	1	0	0	1
共存潰瘍	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
腺腫	5	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	2	0
胃粘膜下腫瘍	1	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
十二指腸ポリープ	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
食道がん	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
胃がん以外の悪性腫瘍	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
胃潰瘍瘢痕	7	6	1	0	0	0	0	1	0	0	0	1	0	0	0	2	0	1	0	1	0	0	1
不 明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
十二指腸潰瘍瘢痕	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
その他	105	70	35	0	0	6	0	1	3	3	1	11	1	10	5	18	9	11	6	4	4	6	6

胸部X-P	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
受診者数	3,364	1,766	1,598	101	91	181	124	129	111	170	106	191	172	198	243	318	288	210	184	153	151	115	128
要精検者数	68	42	26	2	0	1	0	3	2	4	0	2	1	5	3	11	5	7	4	2	6	5	5
要精検率 %	2.0	2.4	1.6	2.0	0.0	0.6	0.0	2.3	1.8	2.4	0.0	1.0	0.6	2.5	1.2	3.5	1.7	3.3	2.2	1.3	4.0	4.3	3.9
精検受診者数	52	31	21	1	0	0	0	2	1	4	0	1	1	2	3	9	4	6	4	2	5	4	3
精検受診率 %	76.5	73.8	80.8	50.0	0.0	0.0	0.0	66.7	50.0	100.0	0.0	50.0	100.0	40.0	100.0	81.8	80.0	85.7	100.0	100.0	83.3	80.0	60.0
結 果																							
肺がん疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
肺結核	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がん0期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅠ期	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	0
原発性肺がんⅡ期	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
原発性肺がんⅢ期	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
原発性肺がんⅣ期	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
その他	33	17	16	1	0	0	0	0	1	3	0	0	1	2	3	5	3	1	2	2	3	3	3
不 明	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0
異常なし	11	9	2	0	0	0	0	2	0	1	0	1	0	0	0	2	1	3	1	0	0	0	0
その他の肺悪性新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他の肺新生物	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
糖代謝異常																							
受診者数	3,420	1,782	1,638	101	94	182	127	131	111	170	107	192	174	198	250	325	299	211	187	154	157	118	132
要精検者数	125	85	40	3	0	7	0	3	1	5	1	13	4	8	10	16	7	9	5	14	4	7	8
要精検率 %	3.7	4.8	2.4	3.0	0.0	3.8	0.0	2.3	0.9	2.9	0.9	6.8	2.3	4.0	4.0	4.9	2.3	4.3	2.7	9.1	2.5	5.9	6.1
精検受診者数	18	11	7	0	0	1	0	0	0	3	0	1	1	1	2	4	1	0	1	1	2	0	0
精検受診率 %	14.4	12.9	17.5	0.0	0.0	14.3	0.0	0.0	0.0	60.0	0.0	7.7	25.0	12.5	20.0	25.0	14.3	0.0	20.0	7.1	50.0	0.0	0.0
結 果																							
糖尿病	12	8	4	0	0	1	0	0	0	2	0	1	1	1	1	3	1	0	1	0	0	0	0
境界型	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
異常なし	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
その他	4	2	2	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	1	1	0	0
便潜血																							
受診者数	3,317	1,734	1,583	100	92	180	123	130	110	169	104	181	169	192	243	319	291	200	177	147	149	116	125
要精検者数	215	117	98	3	7	3	7	7	6	7	9	11	8	9	10	26	12	17	14	18	9	16	16
要精検率 %	6.5	6.7	6.2	3.0	7.6	1.7	5.7	5.4	5.5	4.1	8.7	6.1	4.7	4.7	4.1	8.2	4.1	8.5	7.9	12.2	6.0	13.8	12.8
精検受診者数	145	66	79	1	4	1	6	2	4	6	8	5	7	5	9	17	9	9	11	12	8	8	13
精検受診率 %	67.4	56.4	80.6	33.3	57.1	33.3	85.7	28.6	66.7	85.7	88.9	45.5	87.5	55.6	90.0	65.4	75.0	52.9	78.6	66.7	88.9	50.0	81.3
結 果																							
進行大腸がん	4	0	4	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	2
早期大腸がん	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
深達度不明大腸がん	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大腸がんの疑い	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
大腸腺腫	50	35	15	1	0	0	0	0	0	4	3	2	2	2	2	10	2	4	3	9	1	3	2
その他大腸ポリープ	11	6	5	0	0	0	0	1	0	0	0	1	0	0	1	3	1	1	0	0	2	0	1
大腸憩室	6	4	2	0	0	0	0	0	0	1	0	0	0	0	0	2	0	0	1	0	1	1	0
潰瘍性大腸炎	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
クローン病	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他	7	5	2	0	0	0	0	0	0	1	0	1	0	0	0	1	2	1	0	1	0	0	0
不 明	4	2	2	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	1	0
異常なし	64	17	47	0	3	1	5	1	3	1	4	1	5	2	6	3	3	3	6	2	4	3	8

P S A	年 齢		—39		40—44		45—49		50—54		55—59		60—64		65—69		70—74		75—79		80—		
	合 計	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女	男	女
受診者数	714	714	0	13	25		20		53		74		110		170		116		82		51		
要精検者数	80	80		0	1		1		4		7		14		17		13		17		6		
要精検率 %	11.2	11.2		0.0	4.0		5.0		7.5		9.5		12.7		10.0		11.2		20.7		11.8		
精検受診者数	64	64		0	1		1		4		6		9		13		13		11		6		
精検受診率 %	80.0	80.0		0.0	100.0		100.0		100.0		85.7		64.3		76.5		100.0		64.7		100.0		
結 果																							
進行がん	0	0		0	0		0		0		0		0		0		0		0		0		
早期がんB 0	0	0		0	0		0		0		0		0		0		0		0		0		
早期がんB 1	2	2		0	0		0		0		0		0		0		0		1		1		
早期がんB 2	1	1		0	0		0		0		0		0		0		1		0		0		
局所進展がん	0	0		0	0		0		0		0		0		0		0		0		0		
がんの疑い	24	24		0	0		1		1		2		3		5		4		5		3		
病期不明がん	0	0		0	0		0		0		0		0		0		0		0		0		
その他	17	17		0	1		0		2		2		3		4		3		2		0		
不 明	6	6		0	0		0		0		1		1		2		1		1		0		
異常なし	14	14		0	0		0		1		1		2		2		4		2		2		
乳																							
受診者数	604	0	604		41		78		74		70		100		98		79		36		21		7
要精検者数	39		39		3		4		7		6		7		5		3		2		2		0
要精検率 %	6.5		6.5		7.3		5.1		9.5		8.6		7.0		5.1		3.8		5.6		9.5		0.0
精検受診者数	33		33		3		2		6		5		7		4		2		2		2		0
精検受診率 %	84.6		84.6		100.0		50.0		85.7		83.3		100.0		80.0		66.7		100.0		100.0		0.0
結 果																							
乳がん	3		3		0		0		0		0		2		0		1		0		0		0
がんの疑い	0		0		0		0		0		0		0		0		0		0		0		0
線維腺腫	1		1		0		0		1		0		0		0		0		0		0		0
乳腺症	3		3		0		0		1		0		1		0		0		0		1		0
のう胞	3		3		1		1		0		1		0		0		0		0		0		0
良性石灰化像	4		4		0		0		0		2		0		1		0		0		1		0
その他	9		9		1		0		3		1		1		1		1		1		0		0
不 明	2		2		1		0		0		1		0		0		0		0		0		0
異常なし	8		8		0		1		1		0		3		2		0		1		0		0
子宮																							
受診者数	761	0	761		45		80		65		76		104		139		121		71		38		22
要精検者数	5		5		0		3		1		0		0		1		0		0		0		0
要精検率 %	0.0		0.0		0.000		0.0		0.015		0.0		0.0		0.0		0.0		0.0		0.0		0.0
精検受診者数	5		5		0		3		1		0		0		1		0		0		0		0
精検受診率 %	100.0		100.0		0.0		100.0		100.0		0.0		0.0		100.0		0.0		0.0		0.0		0.0
結 果																							
浸潤がん(子宮頸)	0		0		0		0		0		0		0		0		0		0		0		0
上皮内がん(子宮頸)	2		2		0		1		1		0		0		0		0		0		0		0
子宮体がん	0		0		0		0		0		0		0		0		0		0		0		0
高度異形成	0		0		0		0		0		0		0		0		0		0		0		0
中等度異形成	2		2		0		1		0		0		0		1		0		0		0		0
軽度異形成	0		0		0		0		0		0		0		0		0		0		0		0
内膜増殖症	0		0		0		0		0		0		0		0		0		0		0		0
その他	0		0		0		0		0		0		0		0		0		0		0		0
不 明	0		0		0		0		0		0		0		0		0		0		0		0
異常なし	1		1		0		1		0		0		0		0		0		0		0		0